Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. David Mauk
General Manager
Bandera County River Authority and Ground Water District
P.O. Box 177
Bandera, TX 78003

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Mauk:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Kirk Holland
General Manager
Barton Springs/Edwards Aquifer Conservation District
1124-A Regal Row
Austin, TX 78748

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Holland:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Ron Fieseler
General Manager
Blanco-Pedernales Groundwater Conservation District
P.O. Box 1516
Johnson City, TX 78636

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Fieseler:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Micah Voulgaris
General Manager
Cow Creek Groundwater Conservation District
201 E. San Antonio Ave., Ste 100
Boerne, TX 78006

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Voulgaris:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Karl Dreher
General Manager
Edwards Aquifer Authority
1615 North Saint Mary's Street
San Antonio, TX 78215

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Dreher:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Rick Broun
General Manager
Hays Trinity Groundwater Conservation District
P.O. Box 1648
Dripping Springs, TX 78620

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Broun:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Gene Williams
General Manager
Headwaters Groundwater Conservation District
125 Lehmann Drive, Suite 102
Kerrville, TX 78028

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Williams:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Ms. Luana Buckner
General Manager
Medina County Groundwater Conservation District
1613 Avenue K, Suite 105
Hondo, TX 78861

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Ms. Buckner:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. George Wissman
General Manager
Trinity-Glen Rose Groundwater Conservation District
6335 Camp Bullis Road, Suite 25
San Antonio, TX 78257

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Wissman:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Jonathan Letz
Plateau Regional Water Planning Group Chairman
Kerr County
700 Main Street, Suite 101
Kerrville, TX 78028

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Letz:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. John Burke
Lower Colorado Regional Water Planning Group Chairman
John Burke & Associates
496 Shiloh Road
Bastrop, TX 78602

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Burke:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

April 18, 2012

Mr. Con Mims
South Central Texas Regional Water Planning Group Chaiman
Nueces River Authority
P.O. Box 349
Uvalde, TX 78802

Re: Modeled available groundwater estimates for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer in Groundwater Management Area 9

Dear Mr. Mims:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached reports (GAM Run 10-049 MAG Version 2 and GAM Run 10-050 MAG Version 2) are in response to this directive.

As noted in the letter received by the TWDB on August 30, 2010, from Ronald Fieseler of the Blanco-Pedernales Groundwater Conservation District on behalf of Groundwater Management Area 9, desired future conditions were adopted for the Trinity Aquifer and the Edwards Group of the Edwards-Trinity (Plateau) Aquifer on July 26, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of GAM Run 10-050 Version 2, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011.

The first version released of GAM Run 10-049 MAG included modeled available groundwater values for Kerr County, which was declared "not-relevant" for joint planning purposes by Groundwater Management Area 9. Since modeled available groundwater only applies to areas with a specified desired future condition, the second version of this report has been updated to depict modeled available groundwater in relevant counties only. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachments: GAM Run 10-049 MAG Version 2
GAM Run 10-050 MAG Version 2

c w/att.: L'Oreal Stepney, Deputy Director, of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Jaime Burke, AECOM, Inc
Sam Vaugh, HDR Engineering
Raymond Buck, Upper Guadalupe River Authority
James Kowis, Lower Colorado River Authority
Suzanne Scott, San Antonio River Authority
Bill West, Guadalupe-Blanco River Authority
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Joe Reynolds, Legal Services
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Radu Boghici, P.G. Groundwater Resources
David Meesey, Water Resources Planning and Information
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning