Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

March 20, 2012

Mr. Conrad Arriola
General Manager
Brewster County Groundwater Conservation District
P.O. Box 465
Alpine, TX 79831

Re: Modeled available groundwater estimates for the Bone Spring-Victorio Peak Aquifer in Groundwater Management Area 4

Dear Mr. Arriola:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 10-061 MAG) are in response to this directive.

As noted in the letter received by the TWDB on August 18, 2010, from Janet Adams of the Jeff Davis County Underground Water Conservation District on behalf of Groundwater Management Area 4, desired future conditions were adopted for the Bone Spring-Victorio Peak Aquifer on August 13, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of these reports, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachment: GAM Run 10-061 MAG

c w/att.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Annette Gutierrez, Rio Grande Council of Governments
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

March 20, 2012

Mr. John Jones
General Manager
Culberson County Groundwater Conservation District
P.O. Box 1295
Van Horn, TX 79855

Re: Modeled available groundwater estimates for the Bone Spring-Victorio Peak Aquifer in Groundwater Management Area 4

Dear Mr. Jones:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 10-061 MAG) are in response to this directive.

As noted in the letter received by the TWDB on August 18, 2010, from Janet Adams of the Jeff Davis County Underground Water Conservation District on behalf of Groundwater Management Area 4, desired future conditions were adopted for the Bone Spring-Victorio Peak Aquifer on August 13, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of these reports, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachment: GAM Run 10-061 MAG

c w/att.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Annette Gutierrez, Rio Grande Council of Governments
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

March 20, 2012

Mr. Randy Barker
General Manager
Hudspeth County Underground Water Conservation District No. 1
P.O. Box 212
Dell City, TX 79837

Re: Modeled available groundwater estimates for the Bone Spring-Victorio Peak Aquifer in Groundwater Management Area 4

Dear Mr. Barker:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 10-061 MAG) are in response to this directive.

As noted in the letter received by the TWDB on August 18, 2010, from Janet Adams of the Jeff Davis County Underground Water Conservation District on behalf of Groundwater Management Area 4, desired future conditions were adopted for the Bone Spring-Victorio Peak Aquifer on August 13, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of these reports, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachment: GAM Run 10-061 MAG

c w/att.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Annette Gutierrez, Rio Grande Council of Governments
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

March 20, 2012

Ms. Janet Adams
General Manager
Jeff Davis County Underground Water Conservation District
P.O. Box 1203
Fort Davis, TX 79734

Re: Modeled available groundwater estimates for the Bone Spring-Victorio Peak Aquifer in Groundwater Management Area 4

Dear Ms. Adams:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 10-061 MAG) are in response to this directive.

As noted in the letter received by the TWDB on August 18, 2010, from Janet Adams of the Jeff Davis County Underground Water Conservation District on behalf of Groundwater Management Area 4, desired future conditions were adopted for the Bone Spring-Victorio Peak Aquifer on August 13, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of these reports, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachment: GAM Run 10-061 MAG

c w/att.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Annette Gutierrez, Rio Grande Council of Governments
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

March 20, 2012

The Honorable Paul Hunt
County Judge
Presidio County Underground Water Conservation District
P.O. Box 606
Marfa, TX 79843

Re: Modeled available groundwater estimates for the Bone Spring-Victorio Peak Aquifer in Groundwater Management Area 4

Dear Judge Hunt:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 10-061 MAG) are in response to this directive.

As noted in the letter received by the TWDB on August 18, 2010, from Janet Adams of the Jeff Davis County Underground Water Conservation District on behalf of Groundwater Management Area 4, desired future conditions were adopted for the Bone Spring-Victorio Peak Aquifer on August 13, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of these reports, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachment: GAM Run 10-061 MAG

c w/att.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Annette Gutierrez, Rio Grande Council of Governments
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning

Texas Water Development Board

P.O. Box 13231, 1700 N. Congress Ave.
Austin, TX 78711-3231, www.twdb.texas.gov
Phone (512) 463-7847, Fax (512) 475-2053

March 20, 2012

Mr. Tom Beard
Far West Texas Regional Water Planning Group Chairman
P.O. Box 668
Alpine, TX 79831

Re: Modeled available groundwater estimates for the Bone Spring-Victorio Peak Aquifer in Groundwater Management Area 4

Dear Mr. Beard:

The Texas Water Code, Section 36.1084, Subsection (b), states that the Texas Water Development Board's (TWDB) Executive Administrator shall provide each groundwater conservation district and regional water planning group located wholly or partly in the groundwater management area with the modeled available groundwater in the management area based upon the desired future conditions adopted by the districts. This letter and the attached report (GAM Run 10-061 MAG) are in response to this directive.

As noted in the letter received by the TWDB on August 18, 2010, from Janet Adams of the Jeff Davis County Underground Water Conservation District on behalf of Groundwater Management Area 4, desired future conditions were adopted for the Bone Spring-Victorio Peak Aquifer on August 13, 2010.

Modeled available groundwater is defined in the Texas Water Code, Section 36.001, Subsection (25), as "the amount of water that the executive administrator determines may be produced on an average annual basis to achieve a desired future condition established under Section 36.108." This is different from "managed available groundwater," shown in the draft version of these reports, which was a permitting value and accounted for the estimated use exempt from permitting. This change was made to reflect changes in statute by the 82nd Legislature, effective September 1, 2011. For use in the regional water planning process, modeled available groundwater estimates have been reported by aquifer, county, river basin, regional water planning area, groundwater conservation district, and any other subdivision of the aquifer designated by the management area (if applicable).

Our Mission

To provide leadership, planning, financial assistance, information, and education for the conservation and responsible development of water for Texas

Board Members

Edward G. Vaughan, Chairman
Joe M. Crutcher, Vice Chairman
Thomas Weir Labatt III, Member
Lewis H. McMahan, Member
Billy R. Bradford Jr., Member
Monte Cluck, Member

Melanie Callahan, Executive Administrator

We encourage open communication and coordination between groundwater conservation districts, regional water planning groups, and the TWDB to ensure that the modeled available groundwater reported in regional water plans and groundwater management plans are not in conflict. We estimated modeled available groundwater that would have to occur to achieve the desired future condition using the best available scientific tools. However, these estimates are based on assumptions of the magnitude and distribution of projected pumping in the aquifer. It is, therefore, important for groundwater conservation districts to monitor whether their management of pumping is achieving their desired future conditions. Districts are encouraged to continue to work with the TWDB to better define available groundwater as additional information may help better assess responses of the aquifer to pumping and its distribution now and in the future.

If you have any questions, please contact Ms. Rima Petrossian of my staff at 512-936-2420 or rima.petrossian@twdb.texas.gov for further information.

Sincerely,

Melanie Callahan

Melanie Callahan
Executive Administrator

Attachment: GAM Run 10-061 MAG

c w/att.: L'Oreal Stepney, Deputy Director, Office of Water, Texas Commission of Environmental Quality
Kellye Rila, Texas Commission of Environmental Quality
Kelly Mills, Texas Commission of Environmental Quality
John Ashworth, LBG-Guyton Associates
Annette Gutierrez, Rio Grande Council of Governments
Robert E. Mace, Ph.D, P.G., Deputy Executive Administrator, Water Science and Conservation
Larry French, P.G., Groundwater Resources
Cindy Ridgeway, P.G., Groundwater Resources
Rima Petrossian, P.G., Groundwater Resources
Dan Hardin, Water Resources Planning
Matt Nelson, Water Resources Planning
Temple McKinnon, Water Resources Planning
Connie Townsend, Water Resources Planning
Wendy Barron, Water Resources Planning